

Hardlines Test Request



Date Printed (local time): Thu Sep 25 2025 14:47:09 GMT-0400 (Eastern Daylight Time)

SEND SAMPLES TO

	UL Solu	utions Retail Center of Evcellence 407 N. Goad Springs Rd. Lowell, Arkansas 72745 P Flores (47) Go3-752 P ROG.Hardilnes.Customer. Service@crs.ul.com		
1 SUPPLIER INFORMATION				
Supplier Name BISSELL INTL TRADING CO BV		Host Vendor Number 05845	53	
Supplier Address PO Box 1888	Supplier Phone 616.791.0673			Supplier Attention Don Mahaffy
Grand Rapids, MI 49501 Order Type Domestic	Supplier ID 28004725			Supplier Type
2 TEST TYPE				
Testing Category Production		Material Change NO		
Letter of Guarantee: No units		9		
Regulatory Testing Full Testing	De	oc Review	Performance Testing	
Retest: No	Small Order Quantity: No	Previous Lab Number(s)	Mat Fina Pac	erial Change: al Packaging: N/A kaging Change: No
3 ITEM INFORMATION				
Item Description: CrossWave OmniForce				
Department 74	Buyer Name Michael Dodd	Brand BISSE	LL	Avail on Dotcom? yes Supplier Relationship 3P item is dotcom exclusive
Season Basic 2025	Product Specialist National Brand - No p specialist	product		
Packaging CPSIA	Product CPSIA	Country of Origin Vietna		Children's Product? no
Style/Vendor Number • 3930F	Walmart Item Number • not available	UPC Number • 011	120276145	Product ID
Color(s) •	Approved Mock Up Report • Number	Replenishment Item?		Chemicals / Contain Yes Chemicals?
Fabric Component? no Use MMCF?	Fabric Mill •	Mill Number •		HIGG ID •
Lyocell Producer	Viscose/Rayon Producer	Acetate Producer		Modal Producer
SIOC (ships in own Yes container)?	Tungsten / Titanium? No	Primary Substrate: Secondary Substrate:		
4 RETAILER				
Target Market Walmart*USA	Sourcing Office Not Applicable	Purchase Order Number(s) not a	vailable	Commitment Quantity 0
		RL Quote ID		Flex PLM #
5 FACTORY				
Factory Name		Factory Number		
Ship Date 10/21/2025	Manufacturing Start 01/07/2025	Manufacturing End 01/07	/2025	City
Province/State	Country			
6 CONTACT				
Sample Received donald.mahaffy@BISSELL.com	Send Report To donald.mahaffy@BISSELL.com			
7 BILLING INFORMATION				
Company Name BISSELL Homecare, Inc.		Attention Kristi	n Vainavicz	
Address PO Box 1888 Grand Rapids, MI 49501		Phone 616-7		
<u> </u>		Email AP@E	BISSELL.com	
8 COMMENTS / SPECIAL INSTRUCTIONS				
Sample Sealing Sealed by 3rd Party?	Sealed by certified JQMP/DQA?	DQA Completed Training?		
Comments and Files	JAMENDÁW			
				65 ⁻
Attached Files: Toxics in Packaging Declaration 9-25-2025.pdf Haz_Ing ID_form 35151_CrossWave_HydroSteam.xlsx MultiSurface_MultiSurfacePet_WoodFloor_PetMultiSurfaceClear Crosswave_Freshstart_SDS.pdf	ningFormulas_SDS.pdf			

INSTRUCTIONS:

Include a printed copy of this form with your samples. A separate testing application should be completed for each style. If you are only submitting documentation, please email a copy and your app ID to the Customer Relations email address for the specific testing location, noted above.

The UL Solutions report is governed by, and incorporates by reference, the Terms and Conditions of Testing appearing on our website http://www.consumertesting.com/ and is intended for your exclusive use. Any copying or replication of the UL Solutions report or disclosure of test results to or for any other person or entity, and any use of our name and/or seal is strictly prohibited without our prior written authorization. The UL Solutions report sets forth our findings with respect to the individual sample(s) tested only. UL Solutions's liability shall not exceed the fees paid for the testing reflected on this report. By submitting this application, you understand that we may perform the requested services at one or more of our facilities owned or operated by UL Solutions Inc. or its affiliates.

Decision Rule: the declaration of conformity is given not taking into account the measurement uncertainty.

Level of risk associated with the Decision Rule: The results issue by UL Solutions does not take in consideration the measurement uncertainty, but when the value is close to the limit, the test, if repeated by another laboratory, can give a different result.