	ELL Homecare, Inc.			SAFETY DATA SI			Page 1 of 7
Prep	ared to OSHA, ACC,	ANSI, NOHSC, & WHIMS Star	ndards		MSDS Revision	n Date: 06/10/14	
	1. PRODUCT INF	ORMATION					
1.1	Product Name:						
	Febreze™ Vacuum	Bags for Electrolux® C (Model	52B6)				
1.2	Chemical Name:	,	,				
	NA						
1.3	Synonyms:						
	Febreze™ Vacuum	Bags for Electrolux® C (Model	52B6)				
1.4	Trade Name:	•	,				
	Febreze™ Vacuum	Bags for Electrolux® C (Model	52B6)				
1.5	Product Use	-					
	Vacuum Bag						
1.6	Distributor's Name:						
	BISSELL Homecare	e, Inc.					
1.7	Distributor's Addres	SS					
	P.O. Box 1888., Gr	and Rapids, MI 49501 USA					
1.8	Emergency Phone:						
	PROSAR Product S	Safety +1 (866) 303 – 6951 or 0	CHEMTREC -	+1 (703) 527 -3887 /	/ +1(800) 424 -9:	300 CCN 2808	
1.9	Business Phone/ Fa						
	Tel: +1 (616) 453 –	4451 / Fax: +1 (616) 453 - 138	33				
	2. HAZARD INFO	RMATION					
2.1	Hazard identificatio	n:					
	This product is not	classified as a HAZARDOUS S	UBSTANCE	or as DANGEROUS	GOODS accord	ding to the classification	ation criteria of NOHSC: 1088
	(2004) and ADG Co	ode (Australia). In the event of e	exposure or m	nedical injury involvi	ng this product, p	please contact a ph	ysician or local poison control
		ek advice from the US Manufa	cturer, and sh	now them this MSDS	S.		
2.2	Routes of Entry:	Inhalation:	Yes	Absorption:	No	Ingestion:	No
2.3	Effects of Exposure						
	INGESTION:	This item is a solid. Ingestion i		route of exposure.			
	EYES:	Not expected to cause eye irrit					
	SKIN:	Not expected to cause skin irri					
	INHALATION:	Exposure may cause respirato	ry tract irritati	on in some sensitive	e individuals.		
2.4	Symptoms of Overe		,				,
	INGESTION:	This item is a solid. Ingestion is		route of exposure.			
	EYES:	Moderate irritation, redness ar					
	SKIN:	Contact dermatitis (rash), char					
0.5	INHALATION:	Vapors may be irritating to nos	se, throat and	respiratory tract.			
2.5	Acute health Effects		4 - 191				
	INGESTION:	This item is a solid. Ingestion in		route of exposure.			
	EYES:	May cause irritation, redness a		irritation with abort t	orm overcoure D	ralanged contact w	ith akin may saysa mild to
	SKIN:	This product can cause mild, to moderate irritation.	iansient Skift	ımanon Willi Shoft-l	enn exposure. P	Tolonged Contact W	itti skili illay Gause Illilu tu
	INHALATION:	Exposure may cause respirato	rv tract irritati	on in some sensitiv	a individuals		
2.6	Chronic Health Effe		ny naonininan	OH III 301116 36113111V	o murriduals.		-
۷.۷		ted contact may cause contact	dermatitis (Io	calized redness or r	ash)		,
2.7	Target Organs:	tod contact may cause contact	aominanto (10	Jane Danie 33 Ul I	۵۵۱۱).		
۷.۱	NA						
2.8	Toxicological Prope	erties:					
2.0	See Section 11.1	n tioo.					
	See Section 11.1						
NA =	: Not Available: ND =	Not Determined: NF = Not Fst	ablished: NF	= Not Found: C = C	eiling Limit: See	Section 16 for Add	itional Definitions of Terms Used
		information is included. It is local					
	roquirou		salos in appid	ישני טווטווט טטטייקי	/ 11101 2		••

JIEhr	ELL Homecare,		IOHSC, & WHIN			SAFET	Y DATA		C Dovici	on Date: (NG/40/4/	1		Page 2 of 7
	ared to USHA, A	ACC, ANSI, IN	IOHSU, & WHII	VIS Standard	S			MOD	S Kevisi	on Date: t)b/`IU/ 14	1		
_ ;	3. COMPOSI	TION AND IN	IGREDIENT IN	FORMATION	J									
	J. 00m. 00.	110117.11.2		Oran Circ.					EXPO	SURE LIN	IITS IN	AIR (mg	/m3)	
						AC	GIH		NOHSC			OSHA	,,,,,	
	HEMICAL	CAS No.	RTECS No.	EINECS	%					<u>, </u>				Other
	NAMES	3 , 12 1 1		No.		P	pm	ES-	ppm ES-	ES-		ppm	1	
						TLV	STEL	TWA	STEL	PEAK	TLV	STEL	IDLH	NIOSH
Pol	lypropylene	9003-07-0	TR5000000	NA	≤ 8	NE	NE	NF	NF	NF	NE	NE	NE	
	Cellulose	9004-34-6	FJ5691460	232-674-9	≤ 87	NE	NE	1.0	NF	NF	NE	NE	NE	
	ural Rubber	9006-04-6	VL8020000	NA	≤ 6	NA	NA	NF	NF	NF	NA	NA	NA	
	ragrance	NA	NA	NA	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
		<u> </u>	1		l v	1,	l,			1	L,	L,	ı '" ·	
_ /	4. FIRST AID	MEASURES	;											
1	First Aid:													
	INGESTION:		em is a solid. In								p 17 3			1.4
	EYES:		eyes thoroughly g. If irritation pe						minutes,	holding e	yelid(s)	open to	ensure co	omplete
	SKIN:		g. if irritation pe affected areas v						promnt r	medical at	tention			
	INHALATION		e victim to fresl									d seek in	nmediate i	medical
		attentio	on. If breathing	stops, perfor							· 			
2			rated by Exposi		orime	منحوط اجتما	lnov for-	tion ma:	ho mara	ouocout:h	No to th	o offoots	of the acc	hotonoo
	rersons with	pre-existing s	skin disorders, e	ye problems	s, or impa	airea Kio	iney tunc	uon may	be more	susceptik	DIE TO TH	e enects	of the sub	ustance.
;	5. Firefightin	g Measures												
1	Flashpoint &													
	ND	,												
2	Auto ignition	I emperature:												
3	Flammability	Limits	Lower Exn	losive Limit (LEL):	ND			Un	per Explos	sive Lim	it (LEL)·	ND	
4	Fire & Explos		, _0 _ p		<u>-</u> ,				1 00			. \/.		
	None													
_	Extinguishing		. D											
5		\ \ / - 1 - \ -	ייי Chemical טרע Chemical											
.5	Foam, CO2,												Ī	
.6	Foam, CO2, Fire Fighting	Procedures:	ınding materials	s. Firefighters	should	wear a	MSHA/ N	IIOSH ar	proved o	or equivale	ent self-			
	Foam, CO2, Fire Fighting Fight fires as	Procedures: for the surrou	unding materials atus (SCBA) an											
	Foam, CO2, Fire Fighting Fight fires as contained bre containers co	Procedures: for the surrou eathing appara ool until well a	atus (SCBA) an fter the fire is ou	d protective ut. Cool cont	clothing. ainers wi	Fire Shith wate	ould be f r spray to	ought fro prevent	m a safe pressure	distance. build-up	. Keep , auto-iç	ınition		
	Foam, CO2, Fire Fighting Fight fires as contained bre containers co or explosion.	Procedures: for the surrou eathing appara ool until well a Prevent runo	atus (SCBA) an	d protective ut. Cool cont	clothing. ainers wi	Fire Shith wate	ould be f r spray to	ought fro prevent	m a safe pressure	distance. build-up	. Keep , auto-iç	ınition		
	Foam, CO2, Fire Fighting Fight fires as contained bre containers co	Procedures: for the surrou eathing appara ool until well a Prevent runo	atus (SCBA) an fter the fire is ou	d protective ut. Cool cont	clothing. ainers wi	Fire Shith wate	ould be f r spray to	ought fro prevent	m a safe pressure	distance. build-up	. Keep , auto-iç	ınition		
.6	Foam, CO2, Fire Fighting Fight fires as contained bre containers co or explosion. natural water	Procedures: for the surrouseathing apparation until well at Prevent runoway.	atus (SCBA) an fter the fire is ou	d protective ut. Cool contro control or dilu	clothing. ainers wi	Fire Shith wate	ould be f r spray to	ought fro prevent	m a safe pressure	distance. build-up	. Keep , auto-iç	ınition		
.6	Foam, CO2, Fire Fighting Fight fires as contained bre containers co or explosion. natural water Spills:	Procedures: for the surrouseathing apparation until well at Prevent runoway.	atus (SCBA) an fter the fire is ou ff from the fire o	d protective ut. Cool contro control or dilu	clothing. ainers wi	Fire Shith wate	ould be f r spray to	ought fro prevent	m a safe pressure	distance. build-up	. Keep , auto-iç	ınition		
6	Foam, CO2, Fire Fighting Fight fires as contained bre containers co or explosion. natural water 6. ACCIDEN	Procedures: for the surrouseathing apparation until well at Prevent runoway.	atus (SCBA) an fter the fire is ou ff from the fire o	d protective ut. Cool contro control or dilu	clothing. ainers wi	Fire Shith wate	ould be f r spray to	ought fro prevent	m a safe pressure	distance. build-up	. Keep , auto-iç	ınition		
6	Foam, CO2, Fire Fighting Fight fires as contained bre containers co or explosion. natural water Spills: NA	Procedures: for the surrouseathing appara ol until well at Prevent runor way. TAL RELEAS	atus (SCBA) an fter the fire is ou ff from the fire o	d protective ut. Cool contro control or dilu	clothing. ainers wi	Fire Shith wate	ould be f r spray to	ought fro prevent	m a safe pressure	distance. build-up	. Keep , auto-iç	ınition		
6 .1	Foam, CO2, Fire Fighting Fight fires as contained bre containers co or explosion. natural water 5. ACCIDEN Spills: NA 7. HANDLING	Procedures: for the surrouseathing appara ol until well at Prevent runot way. TAL RELEAS G & STORAG	atus (SCBA) an fter the fire is ou ff from the fire of SE MEASURES	d protective ut. Cool contro control or dilu	clothing. ainers wi	Fire Shith wate	ould be f r spray to	ought fro prevent	m a safe pressure	distance. build-up	. Keep , auto-iç	ınition		
6 6 7	Foam, CO2, Fire Fighting Fight fires as contained bre containers co or explosion. natural water Spills: NA T. HANDLING Work & Hygie	Procedures: for the surrouseathing apparation until well and Prevent runorway. TAL RELEAS G & STORAGE TRACTOR TO THE TRACTOR	atus (SCBA) an fter the fire is out ff from the fire continued by	d protective ut. Cool control or dilu	clothing.	Fire Sh ith wate n enterin	ould be f r spray to ng sewers	ought from	m a safe	e distance e build-up water sup	. Keep , auto-iç oply, or	gnition	product an	d before eating.
6	Foam, CO2, Fire Fighting Fight fires as contained bre containers co or explosion. natural water 5. ACCIDEN Spills: NA 7. HANDLING Work & Hygie Use normal h	Procedures: for the surrouseathing apparation until well at Prevent runor way. TAL RELEAS G & STORAG ene Practices: lygiene practic	atus (SCBA) an fter the fire is out ff from the fire continued by	d protective ut. Cool cont- control or dilu-	clothing. ainers wi tion from	Fire Shith water	ould be for spray to any sewers	ought from	m a safe pressure drinking	e distance e build-up water sup oroughly a	. Keep , auto-iç oply, or	gnition any	product an	d before eating,
6 6 1 7 1	Foam, CO2, Fire Fighting Fight fires as contained bre containers co or explosion. natural water 5. ACCIDEN Spills: NA 7. HANDLING Work & Hygie Use normal h drinking, or s Storage & Ha	Procedures: for the surrouseathing apparation until well at Prevent runorway. TAL RELEAS G & STORAGE ene Practices: ygiene practices: ygiene practices: noking. Good	atus (SCBA) an fter the fire is out ff from the fire of ff from th	d protective ut. Cool cont- control or dilu-	clothing. ainers wi tion from	Fire Shith water	ould be for spray to any sewers	ought from	m a safe pressure drinking	e distance e build-up water sup oroughly a	. Keep , auto-iç oply, or	gnition any	product an	d before eating,
6 7 7 1 2	Foam, CO2, Fire Fighting Fight fires as contained bre containers co or explosion. natural water 6. ACCIDEN Spills: NA 7. HANDLING Work & Hygie Use normal h drinking, or si Storage & Ha Keep away fr	Procedures: for the surrouseathing appara of until well at Prevent runor way. TAL RELEAS TOTAL TO	atus (SCBA) an fter the fire is out ff from the fire of ff from th	d protective ut. Cool cont- control or dilu-	clothing. ainers wi tion from	Fire Shith water	ould be for spray to any sewers	ought from	m a safe pressure drinking	e distance e build-up water sup oroughly a	. Keep , auto-iç oply, or	gnition any	product an	d before eating,
6 6 7 1 2 2	Foam, CO2, Fire Fighting Fight fires as contained bre containers co or explosion. natural water 5. ACCIDEN Spills: NA 7. HANDLING Work & Hygie Use normal h drinking, or si Storage & Ha Keep away fr Special Preca	Procedures: for the surrouseathing apparation until well at Prevent runor way. TAL RELEAS TO THE TA	atus (SCBA) an fter the fire is out ff from the fire of ff from th	d protective ut. Cool control ontrol or dilu ON act with eyes one practices	clothing. ainers wi tion from	Fire Shith water n enterin	ould be f r spray to ng sewers tin contac ng any sk	ought from prevent s, drains, et. Wash tin contact	m a safe pressure drinking hands th ct areas	e distance e build-up water sup water sup oroughly a are recom	Keep, auto-iç pply, or after usi mende	gnition any ing this p		d before eating,
6 7 7 1 2	Foam, CO2, Fire Fighting Fight fires as contained bre containers co or explosion. natural water 5. ACCIDEN Spills: NA 7. HANDLING Work & Hygie Use normal h drinking, or si Storage & Ha Keep away fr Special Preca	Procedures: for the surrouseathing apparation until well at Prevent runor way. TAL RELEAS TO THE TA	atus (SCBA) an fter the fire is out ff from the fire of ff from th	d protective ut. Cool control or dilu ON act with eyes ene practices	clothing. ainers wi tion from	Fire Shith water n enterin	ould be f r spray to ng sewers tin contac ng any sk	ought from prevent s, drains, et. Wash tin contact	m a safe pressure drinking hands th ct areas	e distance e build-up water sup water sup oroughly a are recom	Keep, auto-iç pply, or after usi mende	gnition any ing this p		d before eating,
6 6 7 7 7 1 2 3	Foam, CO2, Fire Fighting Fight fires as contained bre containers co or explosion. natural water 5. ACCIDEN Spills: NA 7. HANDLING Work & Hygie Use normal h drinking, or s Storage & Ha Keep away fr Special Preca Follow all inst	Procedures: for the surrouseathing apparation until well and Prevent runor way. TAL RELEAS G & STORAGE ene Practices: aygiene practices: aygiene practices: aygiene practices: autions: autions: autions on p	atus (SCBA) an fter the fire is out ff from the fire of ff from th	d protective ut. Cool cont- control or dilu ON act with eyes ene practices	clothing. ainers wi tion from a. Avoid of the such as	Fire Shith water n enterin	ould be f r spray to ng sewers tin contac ng any sk	ought from prevent s, drains, et. Wash tin contact	m a safe pressure drinking hands th ct areas	e distance e build-up water sup water sup oroughly a are recom	Keep, auto-iç pply, or after usi mende	gnition any ing this p		d before eating,
.6	Foam, CO2, Fire Fighting Fight fires as contained bre containers co or explosion. natural water 5. ACCIDEN Spills: NA 7. HANDLING Work & Hygie Use normal h drinking, or si Storage & Ha Keep away fr Special Preca Follow all insi Ventilation &	Procedures: for the surrouseathing apparation until well at Prevent runor way. TAL RELEAS G & STORAGE ene Practices: pygiene practices: pygiene practices: moking. Good andling: om sources of autions: tructions on p	atus (SCBA) an fter the fire is out ff from the fire of ff from the ff from th	ON act with eyes ene practices PROTEC	clothing. ainers wi tion from a. Avoid of the such as	Fire Shith water n enterin	ould be f r spray to ng sewers tin contac ng any sk	ought from prevent s, drains, et. Wash tin contact	m a safe pressure drinking hands th ct areas	e distance e build-up water sup water sup oroughly a are recom	Keep, auto-iç pply, or after usi mende	gnition any ing this p		d before eating,
.6 .1 .7 .1 .2 .3	Foam, CO2, Fire Fighting Fight fires as contained bre containers co or explosion. natural water 6. ACCIDEN Spills: NA 7. HANDLING Work & Hygie Use normal h drinking, or si Storage & Ha Keep away fr Special Preca Follow all insi 8. EXPOSUR Ventilation & Not required	Procedures: for the surrouseathing apparation until well at Prevent runor way. TAL RELEAS TAL RELEAS	atus (SCBA) an fter the fire is out ff from the fire of ff from the ff from th	ON act with eyes ene practices PROTEC	clothing. ainers wi tion from a. Avoid of the such as	Fire Shith water n enterin	ould be f r spray to ng sewers tin contac ng any sk	ought from prevent s, drains, et. Wash tin contact	m a safe pressure drinking hands th ct areas	e distance e build-up water sup water sup oroughly a are recom	Keep, auto-iç pply, or after usi mende	gnition any ing this p		d before eating,
.6	Foam, CO2, Fire Fighting Fight fires as contained bre containers co or explosion. natural water 6. ACCIDEN Spills: NA 7. HANDLING Work & Hygie Use normal h drinking, or si Storage & Ha Keep away fr Special Preca Follow all insi Ventilation & Not required Respiratory F	Procedures: for the surrouseathing apparation until well at Prevent runor way. TAL RELEAS G & STORAGE Practices: ygiene practices: ygiene practices: ygiene practices: tructions on percentations:	atus (SCBA) an fter the fire is out ff from the fire of ff from the ff from th	ON act with eyes ene practices ep contained L PROTEC	clothing. ainers wi tion from a. Avoid of the such as	Fire Shith water n enterin	ould be f r spray to ng sewers tin contac ng any sk	ought from prevent s, drains, et. Wash tin contact	m a safe pressure drinking hands th ct areas	e distance e build-up water sup water sup oroughly a are recom	Keep, auto-iç pply, or after usi mende	gnition any ing this p		d before eating,

	ELL Homecare, Inc.	MATERIAL SAFETY DATA SHEET	Page 3 o	f 7
Prepa	red to OSHA, ACC, ANSI,	NOHSC, & WHIMS Standards MSDS Revision Date: 06/10/		
		<u>'</u>		
	Not required under norma	al conditions use.		
8.4	Hand Protection:			
	Not required under norma	al conditions of use.		
8.5	Body Protection:		HEALTH	0
0.0		al conditions of use. Use appropriate protective equipment (e.g., apron) as necessary	FLAMMABILITY	0
		sure if frequent or prolonged contact is expected.	REACTIVITY	0
	'		SPECIAL EQUIPMENT	+
			EYES SKIN	
			ETEO OKIN	
9	. PHYSICAL AND CHE	MICAL PROPERTIES		
9.1	Density:	NA		
9.2	Boiling Point:	NA NA		
9.3	Melting Point:	NA NA		
9.4	Evaporation Rate:	NA NA		
9.5	Vapor Pressure	ND		
9.6	Molecular Weight	NA NA		
9.7	Appearance & Color	Solid Article White		
9.8	Odor Threshold:	Clean scent		
9.9	Solubility	NA NA		
9.10	pH:	NA NA		
9.11	Viscosity:	NA NA		
9.12	Other information:	NA NA		
- · · · -				
1	0. STABILITY & REACTI	VITY		
10.1	Stability:			
	Stable under normal cond	litions of use.		
10.2	Hazardous Decompositio			
	None known.			
10.3	Hazardous Polymerizatio	n:		
	Will not occur.			
10.4	Conditions to Avoid:			
	Strong Oxidizers.			
10.5	Incompatible Substances			
	NA			
	1. TOXICOLOGICAL INF	ORMATION		
11.1	Toxicity Data:			
		· 5 g/kg, LC50 (inhalation, rat) > 20 mg/L-1 hr.		
11.2	Acute Toxicity:			
	See section 2.5			
11.3	Chronic Toxicity:			
44.4	See section 2.6			
11.4	Suspected Carcinogen:			
11 5	No Roproductive Toxicity:			
11.5	Reproductive Toxicity:	ed to produce reproductive toxicity in humans.		
	Mutagenicity:	This product is not reported to produce mutagenicity effects in humans.		
	Embryotoxicity: Teratogenicity:	This product is not reported to produce embryotoxicity effects in humans. This product is not reported to produce teratogenicity effects in humans.		
	Reproductive Toxicity:	This product is not reported to produce teratogenicity effects in humans. This product is not reported to produce reproductive effects in humans.		
11.6	Irritancy of Product:	Time product is not reported to produce reproductive effects in fluffidits.		
11.0	See section 2.3			
11.7	Biological Exposure indic	25.		
11.7	ND	oo.		
11.8	Physical Recommendation	ns:		
11.0	Treat Symptomatically.	no.		
	1 11 dat Cymptomatically.			
1	2. ECOLOGICAL INFOR	MATION		
12.1	Environmental Stability:	······································		

	LL Homecare, Inc.	MATERIAL SAFETY DATA SH	EET		Page 4 of 7
	red to OSHA, ACC, ANSI, NOHSC, & WHIMS Sta			Revision Date: 06/10/14	
		1			
	NA				
12.2	Effect on Plants & Animals:				
12.2	NA				
10.0					
12.3	Effect on Aquatic Life:				
	NA				
	A DIODOGAL ACCIONEDATIONS				
	3. DISPOSAL CONSIDERATIONS				
13.1	Waste Disposal:				
	Dispose of in accordance with federal, state & pr	rovincial hazardous waste laws.			
13.2	Special Considerations:				
	NA				
1	4. TRANSPORTATION INFORMATION				
The ba	asic description (ID Number, proper shipping nam	e, hazard class & division, packing	group) is	s shown for each mode of tra	nsportation. Additional
descri	ptive information may be required by 49 CFR, IAT	A/ICAO, IMDG, SCT and ADGR.	• .,		•
14.1	49 CFR (GRND):	•			
	NOT REGULATED				
14.2	IATA (AIR):				
-	NOT REGULATED				
14.3	IMDG (OCN):				
5	NOT REGULATED				
14.4	TDGR (Canadian GND):				
17.7	NOT REGULATED				
14.5	ADR/RID (EU):				
14.0	NOT REGULATED				
14.6	MEXICO (SCT):				
14.0	NOT REGULATED				
14.7	ADGR (AUS):				
14.7	NOT REGULATED				
	NOT REGULATED				
	5 DECULATION INCODMATION				
	5. REGULATION INFORMATION				
15.1	US EPA SARA Reporting Requirements:	Profit for the control of the contro	(0 (0 OED D. 1 070
45.0	This product does not contain any substances su	ubject to the reporting requirements	s of Sect	ion 313 of SARA Title III or 4	U CFR Part 373.
15.2	US EPA SARA Threshold Planning Quantity:				
	NA				
15.3	US EPA TSCA Inventory Status:				
	All chemical substances of this product are listed	d on the TSCA Inventory or are oth	erwise e	xempt from inventory status.	
15.4	US EPA CERCLA Reportable Quantity (RQ):				
	None				
15.5	Other U.S. Federal Requirements:				
	NA				
15.6	Other Regulations:				
	This product is classified according to the hazard				
	required by CPR. The components of this produc		ne of the	e components in this	
	product are listed on the Priorities Substance Lis	st.			
15.7	U.S. State Regulatory Information:				
	NA				
15.8	67/548/EEC (European Union) and Australia NO				
	S: 2-9-26 - Keep out of reach of children. In case	e of contact with eyes, rinse immed	diately wi	ith plenty of water and seek	
	medical advice.				
	Poisons Schedule Number: None Allocated. Haz	zChem Code: None.			
1	6. OTHER INFORMATION				
16.1	Other Information:				
	None				
16.2	Terms & Definitions:				
	This material Safety Data Sheet is offered pursu	ant to OSHA's Hazard Communica	ation Star	ndard, 29 CFR §1910.1200. (Other government regulations
	must be reviewed for applicability to this product				
	this date; however, accuracy, suitability or complete				
	information contained herein relates only to the s				
	,	. , , , , , , , , , , , , , , , , , , ,		, -	

BISSI	ELL Homecare, Inc.	MATERIAL SAFETY DATA SI	IEET Page 5 of 7
Prepa	ired to OSHA, ACC, ANSI, NOHSC, & WHIMS Star	ndards	MSDS Revision Date: 06/10/14
	considered. Data may be changed from time to tir	me. Be sure to consult the latest	edition.
16.3	Prepared by: BISSELL Homecare, Inc. 2345 Walker Ave NW Grand Rapids, MI 49544 USA Tel: +1 (616) 453 – 4451 Fax: +1 (616) 453 – 1383 http://www.bissell.com/		

BISSELL Homecare, Inc.	MATERIAL SAFETY DATA SI	HEET	Page 6 of 7
D II COLLA ACC ANCI NOLICO A MILIMA COL	1 1	14000	

Prepared to OSHA, ACC, ANSI, NOHSC, & WHIMS Standards

MSDS Revision Date: 06/10/14

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on the MSDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Government Industrial Hygienists
TLV	Threshold Limit Value
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
IDHL	Immediately Dangerous to Life and Health

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation – method in which a person whose heart has stopped receives manual chest
	compressions and breathing to circulate blood and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard

FLAMMABILITY LIMITS IN AIR:

Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition.
LEL	Lower Explosive Limit – lowest percent of vapor in air, by volume, that will exploded or ignite in the presence of an ignition source
UEL	Upper Explosive Limit – highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source

OTHER STANDARD ABBREVIATIONS:

NA	Minimal Hazard
NR	Slight Hazard
NE	Moderate Hazard
NF	Severe Hazard
ND	Extreme Hazard
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA HAZARD RATINGS:

0	Not Available
1	No Results
2	Not Established
3	Not Found
4	Not Determined
ACD	Acidic
ALK	Alkaline
COR	Corrosive

BISSELL Homecare, Inc.		MATERIAL SAFETY DATA SHEET			Page 7 of 7
Prepared to OSHA ACC, ANSL NOHSC, & WHIMS Standards		MSDS R	Revision Date: 06/10/14		

W	Use No Water
OX	Oxidizer

TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
LC ₅₀	Lethal Concentration (solids & liquids) which kills 50% of the exposed animals
ppm	Concentration expressed in parts of material per million parts
TD ₅₀	Lowest Dose to cause a symptom
TCL _{lo}	Lowest Concentration to cause a symptom
TD _{Io} , LD _{Io} & LD _o	Lowest Dose (or concentration) to cause lethal or toxic effects
or TC, TCo, LCio	
& LC _o	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TLm	Median Threshold Limit
log Kow or log Koc	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

CPR	Canada's Controlled Product Regulations
DOT	U.S. Department of Transportation
EPA	U.S. Environmental Protection Agency
EU	European Union (European Union Directive 67/548/EEC)
DSL	Canadian Domestic Substance List
MAK	Mandate und die Arbeitsweise der Kommission (Work Area Commission)
NDSL	Canadian Non-Domestic Substances List
NOHSC	
PSL	National Toxicology Program
TC	Registry of Toxic Effects of Chemical Substances
TSCA	Bioconcentration Factor
WHMIS	Median Threshold Limit